

Tina Champagne, 2019 - References & Resources List

- Abernathy, H. (2010). The Assessment and Treatment of Sensory Defensiveness in Adult Mental Health: A Literature Review. *British Journal of Occupational Therapy*, 73, 210-218.
- Acevedo B.P., Aron E.N., Aron A., Sangster M.D., Collins N., Brown L.L. (2014). The highly sensitive brain: an fMRI study of sensory processing sensitivity and response to others' emotions. *Brain Behav.* 4, 580–594.
- Acevedo B., Jagiellowicz J., Aron E., Marhenke R., Aron A. (2017). Sensory processing sensitivity and childhood quality's effects on the human brain's emotional response. *Journal of Clinical Neuropsychiatry*, 14, 359–373.
- Arbesman, M., & Lieberman, D. (2010). Methodology for the systematic reviews of occupational therapy for children and adolescents with difficulty processing and integrating sensory information. *American Journal of Occupational Therapy*, 64, 368–374.
- Ahn, R. R., Miller, L. J., Milberger, S., & McIntosh, D. N. (2004). Prevalence of parents' perceptions of sensory processing disorders among kindergarten children. *American Journal of Occupational Therapy*, 58, 287–293.
- Ainsworth, M. Blehar, M., Waters, E., & Wall, S. (1978). *Patterns of attachment: A psychological study of the strange situation*. Hillsdale, NJ: Erlbaum.
- American Association of Multi-Sensory Environments. (2010). *Research*. Retrieved from: <http://www.aamse.us/research.php>.
- American Occupational Therapy Association (2008). Occupational therapy practice framework: Domain and process (2nd Ed). *American Journal of Occupational Therapy*, 62, 625-683.
- American Occupational Therapy Association (2010). Specialized knowledge and skills in mental health promotion, prevention, and intervention in occupational therapy practice. Retrieved January 11, 2011 from <http://www.aota.org/practitioners/official/skills/mental-health-ks>
- American Psychological Association (2013). *Diagnostic and statistical manual of mental health disorders (5th ed)*. Washington, DC: Author.
- Andrews, N. E., Meredith, P. J., & Strong, J. (2011). Adult attachment and reports of pain in experimentally-induced pain. *European Journal of Pain*, 15, 523–530.
- Ashburner, J., Ziviani, J., & Rodger, S. (2008). Sensory processing and classroom emotional, behavioral, and educational outcomes in children with autism spectrum disorder. *American Journal of Occupational Therapy*, 62(5), 564-573.
- Ashby, M., Lindsay, W., Pitcaithly, D., Broxholme, S., & Green, N. (1995). Snoezelen: Its effects on concentration and responsiveness in people with profound multiple handicaps. *British Journal of Occupational Therapy*, 58(7), 303-307.
- Atchison, B. J. (2007). Sensory modulation disorders among children with a history of trauma: A frame of references for speech-language pathologists. *Language, Speech, and Hearing in Schools*, 38, 109-116.
- Avni, R., Elkan, T., Dror, a., Shefer, S., Eilam, D., Avraham, K., Mintz, M. (2009). Mice with vestibular deficiency display hyperactivity, disorientation, and signs of anxiety. *Behavioural Brain Research*, 202, 210-217.
- Ayres, A. J. (1968). Sensory integrative processes and neuropsychological learning

- disability. *Learning Disorders*, 3, 41-58.
- Ayres, A. J. (1979). *Sensory integration and the child*. Los Angeles, CA: Western Psychological Services.
- Ayres, A. J. (2005). *Sensory integration and the child: Understanding hidden sensory challenges* (Rev. ed.). Los Angeles, CA: Western Psychological Services.
- Bailliard, A. (2013). The embodied sensory experiences of Latino migrants to Smalltown, North Carolina. *Journal of Occupational Science*, 20, 120–130.
- Bailliard, A. (2015). Video methodologies in research: Unlocking the complexity of occupation. *Canadian Journal of Occupational Therapy*, 82, 35–43.
- Bailliard, A. & Whigham, S. (2017). Linking neuroscience, function, and intervention: A scoping review of sensory processing and mental illness. *American Journal of Occupational Therapy*, 71, 7105100040p1-7105100040p18. doi:10.5014/ajot.2017.024497
- Baker, R., Bell, S., Baker, E., Gibson, S., Holloway, J., Pearce, R., et al. (2001). A randomized controlled trial of the effects of multi-sensory stimulation (MSS) for people with dementia. *British Journal of Clinical Psychology*, 40(1), 81-96.
- Balaban, C. (2002). Neural substrates linking balance control and anxiety. *Physiology & Behavior*, 77, (4-5), 469-475.
- Baranek, G. T. (2002). Efficacy of sensory and motor interventions for children with autism. *Journal of Autism and Developmental Disorders*, 32(5), 397–422.
- Baranek, G. T., Boyd, B. A., Poe, M. D., David, F. J., & Watson, L. R. (2007). Hyperresponsive sensory patterns in young children with autism, developmental delay and typical development. *American Journal on Mental Retardation*, 112, 233–245.
- Baranek, G. T., David, F. J., Poe, M. D., Stone, W. L., & Watson, L. R. (2006). Sensory experiences questionnaire: Discriminating sensory features in young children with autism, developmental delays, and typical development. *Journal of Child Psychology and Psychiatry*, 47(6), 591–601.
- Baranek, G. T., Foster, L. G., & Berkson, G. (1997). Tactile defensiveness and stereotyped behaviors. *American Journal of Occupational Therapy*, 51(2), 91-95.
- Baker, R., Bell, S., Baker, E., Gibson, S., Holloway, J., Pearce, R., et al. (2001). A randomized controlled trial of the effects of multisensory stimulation for people with dementia. *The British Journal of Clinical Psychology*, 40(1), 81-96.
- Bar-Shalita, T., Vatine, J. J., & Parush, S. (2008). Sensory modulation disorder: A risk factor for participation in daily life activities. *Developmental Medicine and Child Neurology*, 50(12), 932-937.
- Bar-Shalita, T., Vatine, J. J., Yarnitsky, D., Parush, S., & Weissman-Fogel, I. (2014). Atypical central pain processing in sensory modulation disorder: Absence of temporal summation and higher after-sensation. *Experimental Brain Research*, 232, 587–595.
- Bart, O., Bar-Haim, Y., Weizman, E., Levin, M., Sadeh, A., Mintz, M. (2009). Balance treatment ameliorates anxiety and increases self-esteem in children with comorbid anxiety and balance disorder. *Research in Developmental Disabilities*, 30, 486-495.
- Barton, S.A., Johnson, M.R., & Price, L. (2009). Achieving restraint-free on an inpatient unit. *Journal of Psychosocial Nursing & Mental Health Services*, 47(1), 34-41.

- Ben-Sasson, A., Carter, A. S., & Briggs-Gowan, M. J. (2009). Sensory over-responsivity in elementary school: Prevalence and social-emotional correlates. *Journal of Abnormal Child Psychology*, 37(5), 705-716.
- Ben-Sasson, A., Carter, A. S., & Briggs-Gowan, M. J. (2010). The development of sensory over-responsivity from infancy to elementary school. *Journal of Abnormal Child Psychology*, 37, 705–716.
- Ben-Sasson, A., Hen, L., Fluss, R., Cermak, S. A., Engel-Yeger, B., & Gal, E. (2009). A meta-analysis of sensory modulation symptoms in individuals with autism spectrum disorders. *Journal of Autism and Developmental Disorders*, 39, 1–11.
- Bethell, C., Newacheck, P., & Halfon, N. (2014). *The impact on health and school engagement and the mitigating role of resilience*, 33, 2106-2115.
- Bjorkdahl, A., Perseius, K-I., Samuelsson, M., Lindburg, M. (2016). Sensory rooms in psychiatric inpatient care: Staff experiences. *International Journal of Mental Health Nursing*, 25, 472-479.
- Blanche, E. I. (2001). The evolution of the concept of praxis in sensory integration. In S. Smith Roley, E. I. Blanche, & R. C. Schaaf (Eds.), *Understanding the nature of sensory integration with diverse populations* (pp. 125-162). San Antonio, TX: Therapy Skill Builders.
- Blanche, E. I. (2002). *Observations based on sensory integration theory*. Torrance, CA: Pediatric Therapy Network.
- Blanche, E., & Reinoso, G., (2008). The use of clinical observations to evaluate proprioceptive and vestibular functions. *OT Practice*, 13(17), CE1–CE7.
- Blaustein, M. & Kinniburgh, K (2010). *Treating traumatic stress in children and adolescents. How to foster resilience through attachment, self-regulation and competency*. New York: Guilford Press.
- Bluhm RL, Clark R, McFarlane AC, Moores KA, Shaw ME, Lanius RA. *Default network connectivity during a working memory task. Human Brain Mapping* (Epub ahead of print Jul 20, 2010).
- Bluhm R, Williamson P, Lanius R, Theberge J, Densmore M, Bartha R, Neufeld R, Osuch E (2009). *Resting state default-mode network connectivity in early depression using a seed region-of-interest analysis: decreased connectivity with caudate nucleus*. *Psychiatry and Clinical Neuroscience* Dec;63(6):754-61.
- Bluhm R, Williamson PC, Osuch EA, Frewen PA, Stevens TK, Boksman K, Neufeld RWJ, Theberge J, Lanius RA (2009). *Alterations in default network connectivity in posttraumatic stress disorder related to early life trauma*. *J Psychiatry Neurosci* May;34(3):187-94.
- Bobler, C., Boon, T., Downward, M., Loomes, B., Mountfors, H., & Swadi, H. (2015). Pilot investigation of the use and usefulness of a sensory modulation room in a child and adolescent psychiatry unit. *Occupational Therapy in Mental Health*, 31(4).
- Bodison, S. & Mailloux, Z. (2005). The Sensory Integration and Praxis Tests- Illuminating struggles and strengths in participation at school. *OT Practice*, 11(7), CE 1-CE 7.
- Bowlby, J (1988). *A Secure Base: Parent-Child Attachment and Healthy Human Development*. London: Routledge; New York: Basic Books.

- Brett-Green, B.A., Miller, L.J., Schoen, S.A., & Nielsen, D.M. (2010). An exploratory event-related potential study of multisensory integration in sensory over-responsive children. *Brain Research*, 1321, 67-77.
- Braswell, J., & Rine, R. (2006). Evidence that vestibular hypo-function affects reading acuity in children. *International Journal of Pediatric Otorhinolaryngology*, 70(11), 1957–1965.
- Brewin CR, Lanius RA, Novac A, Schnyder U, Galea S (2009). *Reformulating PTSD for DSM-V: Life after Criterion A*. *J Traumatic Stress* Sep 9 (epub ahead of print).
- Brewin, C. R., Rose, S., Andrews, B., Green, J., Tata, P., McEvedy, C., Turner, S., and Foa, E. B. (2002). Brief screening instrument for post-traumatic stress disorder. *The British Journal of Psychiatry*, 181, 158- 162.
- Briere, J., Kaltman, S., & Green, B.L. (2008). Accumulated childhood trauma and symptom complexity. *Journal of Traumatic Stress*, 21, 223-226.
- Brown, J., Cooper-Kuhn, C. M., Kempermann, G., Van Praag, H., Winkler, J., Gage, F. H., et al. (2003). Enriched environment and physical activity stimulate hippocampal but not olfactory bulb neurogenesis. *European Journal of Neuroscience*, 17, 2042–2046.
- Brown, C., & Dunn, W. (2002). *Adolescent/Adult Sensory Profile*. Pearson Assessment.
- Brown, C., Tollefson, N., Dunn, W., Cromwell, R., & Filion, D. (2001). *American Journal of Occupational Therapy*, 55, 75-82.
- Brown, S., Shankar, R., & Smith, K. (2009). Borderline personality disorder and sensory processing impairment. *Progress in neurology and psychiatry*, 13, 10-16.
- Bundy, A., Lane, S., & Murray, E. (2002). *Sensory integration theory and practice (2nd Ed.)*. Philadelphia, PA: F. A. Davis.
- Burson, K. & Champagne, T. (2010). Client-centered principles & systems. In M. Scheinholtz (Ed.). *Occupational Therapy in Mental Health: Considerations for Advanced Practice (pp.249-264)*. Bethesda, MD: American Occupational Therapy Association.
- Burwash, S., Cook, B., & Champagne, T. (2014, March). Connected and mobile: Social media tools and apps for occupational therapy and mental health applications (CE article). *OT Practice*, CE-1-CE-8.
- Butler, P.D., Abeles, I.Y., Weiskopf, N.G., Tambini, A., Jalbrzikowski, M., Legatt, M.E., Zemon, V., Loughhead, J., Gur, R.C., & Javitt, D.C. (2009). Sensory contributions to impaired emotional processing in schizophrenia. *Schizophrenia Bulletin*, 35(6), 1095-1107.
- Caldwell, B. & Champagne, T. (2012). Nurturing interventions. LeBel, J. & Lim, A. (Eds.). *Creating positive cultures of care: A resource guide*, (3rd Ed.), Boston, MA: Massachusetts Department of Mental Health
- Caldwell, B. & Champagne, T. (2012). Touch. LeBel, J. & Lim, A. (Eds.) (2012). *Creating positive cultures of care: A resource guide*, (3rd Ed.), Boston, MA: Massachusetts Department of Mental Health.
- Carter, A. S., Ben-Sasson, A., & Briggs-Gowan, M. J. (2011). Sensory over-responsivity, psychopathology, and family impairment in school-aged children. *Journal of the American Academy of Child and Adolescent Psychiatry*, 50(12), 1210-1219.

- Cantin N., Polatajko H.J., Thach W.T., & Jaglal S. (2007). Developmental coordination disorder: exploration of a cerebellar hypothesis. *Human Movement Science*, 26,491-509.
- Cermak, S. & Daunhauer, L. (1997). Sensory processing in the postinstitutionalized child. *American Journal of Occupational Therapy*, 51, 500-507.
- Cernak, S. & Groza, V. (1988). Sensory processing problems in post-institutionalized children: Implications for social work. *Child and Adolescent Social Work Journal*, 65, 5-37.
- Cermak, S., & Larkin, D. (2002). Developmental coordination disorder. Albany, NY: Delmar.
- Chalmers, A., Harrison, S., Mollison, K., Molloy, N., Gray, K. (2012). Establishing sensory-based approaches in mental health inpatient care: a multidisciplinary approach. *Australasian Psychiatry*, 20, 35-39.
- Champagne, T. (2003). Creating nurturing and healing environments for enhancing a culture of care. *Occupational Therapy Advance*. Vol. 19 (19), p. 50.
- Champagne, T. (2005). Expanding the role of sensory approaches for acute inpatient psychiatry. *Mental Health Special Interest Newsletter*, 28, 1-4.
- Champagne, T. (2006, December). Creating sensory rooms: Environmental enhancements for acute inpatient mental health settings. *Mental Health Special Interest Section Quarterly*, 29(4), 1-4.
- Champagne, T. (2007). Physical environment. In, J. LeBel & N. Stromberg (Eds.) *Developing Positive Cultures of Care: Resource Guide* (2nd edition) Boston, MA: Massachusetts Department of Mental Health.
- Champagne, T. (2007). Sensory Approaches. In, J. LeBel & N. Stromberg (Eds.) *Developing Positive Cultures of Care: Resource Guide* (2nd edition). Boston, MA: Massachusetts Department of Mental Health.
- Champagne, T. (2010). *Weighted blanket competency-based training program*©. Doctoral Manuscript. Proquest.
- Champagne, T. (2010). Occupational therapy in special situations including high-risk. In M. Scheinholtz (Ed.). *Occupational Therapy in Mental Health: Considerations for Advanced Practice* (pp. 179-198) Bethesda, MD: American Occupational Therapy Association.
- Champagne, T. (2011, March 28). Attachment, trauma and occupational therapy practice. *OT Practice*, 16, CE1-CE8.
- Champagne, T. (2011). The Influence of Posttraumatic Stress Disorder, Depression, and Sensory Processing Patterns on Occupational Engagement: A Case Study. *WORK: A Journal of Prevention, Assessment, & Rehabilitation*, 38(1), 67-75.
- Champagne, T. (2011). *Sensory modulation & environment: Essential elements of occupation* (3rd ed. Rev.). Sydney, Australia: Pearson Assessment.
- Champagne, T. (2012). Creating occupational therapy groups for children and youth in community-based mental health practice. *OT Practice*, 13-18.
- Champagne, T. (2012). Physical environment. In, LeBel, J. & Lim, A. (Eds.). *Creating positive cultures of care: A resource guide*, (3rd edition), Boston, MA: Massachusetts Department of Mental Health.
- Champagne, T. (2012). Sensory Approaches. LeBel, J. & Lim, A. (Eds.). *Creating positive cultures of care: A resource guide*, (3rd edition), Boston, MA:

- Massachusetts Department of Mental Health.
- Champagne T. (2014). Integrating sensory-based approaches for adults with intellectual and developmental disabilities. In Kristine Haaertl (Ed.) *Adults with intellectual and developmental disabilities* (pp. 235-264). Bethesda, MD: AOTA Press.
- Champagne, T. (2016). Development and participation in occupation: Early lifespan. In C. Manville & J. Keough (Eds.) *Mental Health Practice for the Occupational Therapy Assistant*, (pp. 75-109). Thorofare, NJ: Slack.
- Champagne, T. (2016). Occupational therapy intervention: Promoting occupational participation. In C. Manville & J. Keough (Eds.) *Mental Health Practice for the Occupational Therapy Assistant*, (pp. 111-155). Thorofare, NJ: Slack.
- Champagne, T. (In press). Sensory integration and mental health applications. In A. Bundy & S. Lane (Eds.) *Sensory integration: Theory and practice 3rd Edition*. F. A. Davis.
- Champagne, T. (In press). *Sensory modulation: Applications for working with people with dementia*. London: Jessica Kingsley Publishers.
- Champagne, T. (In press). *Trauma- and Stressor-related Disorders. Disorders*. In C. Brown, G. Stoffel, J. Munoz (Eds.) *Occupational Therapy in Mental Health: A Vision for Participation (2nd Ed.)*. F.A. Davis Company.
- Champagne, T. & Caldwell, B. (2012). Nurturing Interventions. In, J. LeBel & N. Stromberg (Eds.). *Developing Positive Cultures of Care: Resource Guide*. Boston, MA: Massachusetts Department of Mental Health (3rd Ed.)
- Champagne, T. & Caldwell, B. (2012). Touch. In, J. LeBel & N. Stromberg (Eds.) *Developing Positive Cultures of Care: Resource Guide*. Boston, MA: Massachusetts Department of Mental Health (3rd Ed.).
- Champagne, T. & Frederick, D. (2011, June 6). Sensory processing research advances in mental health: Implications for occupational therapy. *OT Practice*, 7-8.
- Champagne, T. & Gray, K. (2011). *Occupational therapy's role in mental health recovery: Fact sheet*. Bethesda, MD: American Occupational Therapy Association.
- Champagne, T., Koomar, J., & Olson, L. (2010). Sensory processing evaluation and intervention in mental health, *OT Practice*, 15, CE-1-CE-9.
- Champagne, T. & Koomar, J. (2011). Expanding the focus: Addressing sensory discrimination concerns in mental health. *Mental Health Special Interest Section Quarterly*, 34(1), 1-4.
- Champagne, T., & Koomar, J. (2012). *Evaluating sensory processing in mental health occupational therapy practice*. *OT Practice*, 17(6), CE-1-CE-8.
- Champagne, T. & Mahaffey, L. (2010). *Occupational therapy's role in restraint reduction or elimination: Fact sheet*. Bethesda, MD: American Occupational Therapy Association.
- Champagne, T., Mullen, B., Dickson, D., & Krishnamurty, S. (2015). Researching the safety & effectiveness of the weighted blanket with adults during an inpatient mental health hospitalization. *Occupational Therapy in Mental Health*, 31, 211-233.
- Champagne, T., Saccamondo, H., Ryan, J., Lazzarini, I. (2007, December). A nonlinear dynamics approach to exploring the spiritual dimensions of occupation. *Emergence: Complexity and Organization*, 9, 29-43.

- Champagne, T. & Stromberg, N. (2004). Sensory approaches in inpatient psychiatric settings: Innovative alternatives to seclusion and restraint. *Journal of Psychosocial Nursing*, 42, 35-44.
- Champagne, T., & Tewfik, D. (2010). Trauma, mental health care & occupational therapy practice. In M. Scheinholtz (Ed.). *Occupational Therapy in Mental Health: Considerations for Advanced Practice* (pp. 215-230). Bethesda, MD: American Occupational Therapy Association.
- Chen, Y. (2011). Abnormal visual motion processing in schizophrenia: A review of research progress. *Schizophrenia Bulletin*, 37, 709–715.
- Chia-Ting, S. & Parham, D. (2014). Validity of sensory systems as distinct constructs. *American Journal of Occupational Therapy*, 68, 546-554.
- Cloitre, M., Stolbach, B.C., Herman, J.L., van der Kolk, B., Pynoos, R., Wang, J., & Petkova, E. (2009). A developmental approach to complex PTSD: Childhood and adult cumulative trauma as predictors of symptom complexity. *Journal of Traumatic Stress*, 22, 399-408. doi: 10.1002/jts.20444. Epub 2009 Sep 30
- Cohn E.S., Miller, L.J., & Tickle-Degnen, L. (2000). Parental hopes for therapy outcomes: Children with sensory modulation disorders. *American Journal of Occupational Therapy*, 54, 36-43.
- Cohn, E.S. (2001). Parent perspectives of occupational therapy using a sensory integration approach. *American Journal of Occupational Therapy*, 55, 285-294.
- Cookson, A., Daffern, M., & Foey, F. (2012). Relationship between aggression, interpersonal style, and therapeutic alliance during short-term psychiatric hospitalization. *International Journal of Mental Health Nursing*, 21, 20-29.
- Corbett, B. A., Mendoza, S., Wegelin, J. A., Carmean, V., & Levine, S. (2008). Variable cortisol circadian rhythms in children with autism and anticipatory stress. *Journal of Psychiatry & Neuroscience*, 33(3), 227-234.
- Cosbey, J., Johnston, S. S., & Dunn, M. L. (2010). Sensory processing disorders and social participation. *American Journal of Occupational Therapy*, 64, 462–473.
- Cox, H., Burns, I., & Savage, S. (2004). Multisensory environments for leisure: promoting well-being in nursing home residents with dementia. *Journal of Gerontological Nursing*, 30(2), 37-45.
- Cummings, J. S., Grandfield, S.A, & Coldwell, C.M. (2010). Caring with comfort rooms. Reducing seclusion and restraint use in psychiatric facilities. *Journal of Psychosocial Nursing and Mental Health Services*, 48(6), 26-30.
- Cusack, K., Grubaugh, A, Knapp, R. & Frueh, B. (2006). Unrecognized trauma and PTSD among public health consumers with chronic and severe mental illness. *Community Mental Health Journal*, 42(5), 487-500.
- Daniels J, Frewen P, McKinnon M, Lanius R. Default mode alterations in PTSD related to early life trauma: a developmental perspective. *J Psychiatry Neurosci* (Epub ahead of print Nov 1, 2010).
- Daniels JK, McFarlane AC, Bluhm RL, Moores KA, Clark CR, Shaw ME, Williamson PC, Lanius RA (2010). *Switching between executive and default mode networks in PTSD - Alterations in functional connectivity*. *J Psych Neurosci* Jul;35(4):258-266.
- Davies P. L., & Gavin W. J. (2007). Validating the diagnosis of sensory processing disorders using EEG technology. *American Journal of Occupational Therapy*, 61,

176–189.

- Davies, P. L., Chang, W.P., & Gavin, W.J. (2010). Middle and Late Latency ERP Components Discriminate between Adults, Typical Children, and Children with Sensory Processing Disorders. *Frontiers in Integrative Neuroscience*, 4, 16.
- Dar, R., Kahn, D. T., & Carmeli, R. (2012). The relationship between sensory processing, childhood rituals and obsessive–compulsive symptoms. *Journal of Behavior Therapy and Experimental Psychiatry*, 43, 679–684.
- DeGangi, G. (2000). *Pediatric disorders of regulation in affect and behavior: A therapist's guide to assessment and treatment*. San Diego, CA.: Academic Press.
- de Gelder, B., Hortensius, R., & Tamietto, M. (2012). Attention and awareness each influence amygdala activity for dynamic bodily expressions: A short review. *Frontiers in Integrative Neuroscience*, 6(54), 1-9.
- Demb, J., Boynton, G., Best, M. & Heeger, D. (1998). Psychophysical evidence for a magnocellular pathway deficit in dyslexia. *Vision Research*, 38(11), 1555-1559.
- DeSantis, A., Harkins, D., Tronick, E., Kaplan, E., & Beeghly, M. (2011). Exploring an integrative model of infant behavior: What is the relationship among temperament, sensory processing, and neurobehavioral measures? *Infant Behavior and Development*, 34, 280–292.
- Diamond, M. C., Rosenzweig, M. R., Bennett, E. L., Lindner, B., & Lyon, L. (1972). Effects of environmental enrichment and impoverishment on rat cerebral cortex. *Journal of Neurobiology*, 3, 47–64. doi:10.1002/neu.480030105
- Dunn, W. (1997). Neuroscience constructs that support the routines of daily life. In C. Royeen (Ed.), *Neuroscience & Occupation: Links to Practice*. Bethesda, MD: American Occupational Therapy Association, Inc.
- Dunn, W. (1997). The impact of sensory processing abilities on the daily lives of young children and families: A conceptual model. *Infants and Young Children* 9(4): 23–35.
- Dunn, W. (1999). *Sensory Profile*. San Antonio, TX: Therapy Skill Builders.
- Dunn, W. (2001). The sensations of everyday life: theoretical, conceptual and pragmatic considerations. *American Journal of Occupational Therapy* 55(6): 608–620.
- Dunn, W. (2002). *Infant/Toddler Sensory Profile*. San Antonio, TX: Therapy Skill Builders.
- Dunn, W. (2002). *The Adolescent/Adult Sensory Profile*. San Antonio: TX: Therapy Skill Builders.
- Dunn, W., & Bennett, D. (2002). Patterns of sensory processing in children with attention deficit hyperactivity disorder. *Occupational Therapy Journal of Research* 22(1): 4–15.
- Dunn, W. & Engel-Yeger, B. (2011). Relationship between pain catastrophizing level and sensory processing patterns in typical adults. *American Journal of Occupational Therapy*, 65.
- Dunn, W., Griffith, J., Sebata, D., Morrison, M., MacDermid, J., Darragh, A., Schaaf, R., et al. (2015). Measuring Change in Somatosensation Across the Lifespan. *American Journal of Occupational Therapy*, 69.
- Emerson, D. (2009). *Toward becoming a trauma-sensitive yoga teacher: A best practices guide from the trauma center*. Cambridge, MA: The Trauma Center at JRI.
- Emerson, D., Sharma, R., Chaudry, S., Turner, J. (2009). *Yoga Therapy in Practice*:

- Trauma-Sensitive Yoga: Principles, Practice, and Research. *International Journal of Yoga Therapy*, 19, 123-128.
- Engel-Yeger, B., & Dunn, W. (2011a). The relationship between sensory processing difficulties and anxiety levels of healthy adults. *British Journal of Occupational Therapy*, 74(5), 210-216.
- Engel-Yeger, B., & Dunn, W. (2011b). Exploring the relationship between affect and sensory processing patterns in adults. *British Journal of Occupational Therapy* 74, 456–464.
- Engel-Yeger, B., Palgy-Levin, D., Lev-Wiesel, R (2013). The relationship between post traumatic stress disorder and sensory processing patterns. *Occupational Therapy in Mental Health* 29, 266–278.
- Engel-Yeger, B., Palgy-Levin, D., Lev-Wiesel, R. (2015). Predicting fears of intimacy among individuals with post-traumatic stress symptoms by their sensory profile. *British Journal of Occupational Therapy*, 78, 51-57.
- Erez, O., Gordon, C., Sever, J., Sadeh, J. & Mintz, M. (2004). Balance dysfunction in childhood anxiety: findings and theoretical approach. *Journal of Anxiety Disorders*, 18(3), 341-356.
- Fave, L. & Strauss, K. (2010). Multi-sensory rooms” Comparing effects of the Snoezelen and the Stimulus Preference environment on the behavior of adults with profound mental retardation. *Research in Developmental Disabilities*, 31, 160-171.
- Feletti, V., Anda, R., Nordenberg, D., Williamson, D., Spitz, A., Edwards, V., Koss, M. & Marks, J. (1998). Relationship of childhood abuse and household dysfunction to many of the leading causes of death in adults. The Adverse Childhood Experiences Study. *American Journal of Preventative Medicine*, 14(4), 245-258.
- Fisher, S. (2014). *Neurofeedback in the treatment of developmental trauma*. New York, NY: W.W. Norton & Company.
- Forsyth, A. & Trevarrow, R. (2018). Sensory strategies in adult mental health: A qualitative exploration of staff perspectives following the introduction of a sensory room on a male adult acute ward. *International Journal of Mental Health Nursing*, 27, 1689-1697.
- Frewen PA, Dozois DJ, Lanius RA (2008). *Neuroimaging studies of psychological interventions for mood and anxiety disorders: empirical and methodological review*. *Clin Psychol Rev* 28:229-247.
- Frewen PA, Dozois DJA, Neufeld RWJ, Densmore M, Stevens TK, Lanius RA. *Neuroimaging social emotional processing in women: fMRI study of script-driven imagery*. *Soc Cog Affect Neurosci* (Epub ahead of print Jun 4, 2010).
- Frewen PA, Lanius RA (2006). *Neurobiology of dissociation: unity and disunity in mind-body-brain*. “An Expanding Window into the Psychobiology of the Mind” *Psychiatr Clin North Am: Dissociative Disorders*: Mar;29(1):113-128.
- Frewen PA and Lanius RA (2006). *Toward a psychobiology of posttraumatic self-dysregulation: reexperiencing, hyperarousal, dissociation, and emotional numbing*. *Ann N Y Acad Sci Jul;1071:110-124*.
- Frewen PA, Lanius RA, Dozois DJA, Neufeld RWJ, Pain C, Hopper JW, Densmore M, Stevens TK (2008). *Clinical and Neural Correlates of Alexithymia in PTSD*. *Journal of Abnormal Psychology* Feb;117(1):171-181.

- Frewen, P., Lanius, R., & van der Kolk, B. (2015). *Healing the traumatized self*. New York, NY: W.W. Norton & Company.
- Frewen PA, Lane R, Neufeld RWJ, Densmore J, Stevens T, Lanius RA (2008). *Neural correlates of levels of emotional awareness during trauma script-imagery in Posttraumatic Stress Disorder*. *Psychosom Med* Jan;70(1):27-31.
- Frewen PA, Pain C, Dozois DJA, Lanius RA (2006). *Alexithymia in PTSD: Psychometric and fMRI Studies*. *Ann N Y Acad Sci* Jul;1071:397-400.
- Frick, S. & Hacker, C. (2001). *Listening with the whole body*. Madison, WI: Vital Links.
- Frick, S., & Kavar, M., (2013). Vestibular habituation from the core: Clinical reasoning, assessment, and intervention skills through enhanced understanding of the interaction within the vestibular-auditory-visual triad. Vital Links.
- Grandin, T. (1995). *Thinking in pictures and other reports of my life with Autism*. New York: Vintage Books.
- Grandin, T., & Scariano, M. (1996). *Emergence labeled autistic*. New York: Warner Books.
- Green, S.A., & Ben-Sasson, A. (2010). Anxiety disorders and sensory over-responsivity in children with Autism Spectrum Disorders: Is there a causal relationship? *Journal of Autism and Developmental Disorders*, 40, 1495-1504.
- Harricharan S, Nicholson AA, Densmore M, Théberge J, McKinnon MC, Neufeld RWJ, Lanius RA. (2017). Sensory overload and imbalance: Resting-state vestibular connectivity in PTSD and its dissociative subtype. *Neuropsychologia*. PMID [28911803](#) DOI: [10.1016/j.neuropsychologia.2017.09.010](#)
- Heller, S., (2002). *Too loud, too bright, too fast, too tight*. New York, NY: Harper Collins Publisher, Inc.
- Helt, D.G. & Foulds, R. (2004). Vestibular stimulation and its effects on muscle tone. *Proceedings of the bioengineering conference* (pp. 7-8). New York, NY: American Society of Mecha.
- Hoffman, S. & Bitran, S. (2007). Sensory processing sensitivity in social anxiety disorder: Relationship to harm avoidance and diagnostic subtypes. *Journal of Anxiety Disorders*, 21(7), 944-954.
- Honaker, D., & Rossi, L. (2005a). Proprioception and participation at school: Are weighted vests effective? Appraising the evidence, part 1. *Sensory Integration Special Interest Section Quarterly*, 28, 1-4.
- Honaker, D., & Rossi, L. (2005b). Proprioception and participation at school: Are weighted vests effective? Appraising the evidence, part 2. *Sensory Integration Special Interest Section Quarterly*, 28, 1-4.
- Hopper JW, Frewen PA, Sack M, Lanius RA, van der Kolk BA (2007). *The responses to script-driven imagery scale (RSDI): assessment of state posttraumatic symptoms for psychobiological and treatment research*. *J Psychopathol Behav Assess* 20:249-268.
- Hopper JW, Frewen PA, van der Kolk BA, Lanius RA (2007). *Neural correlates of reexperiencing, avoidance, and dissociation in PTSD: symptom dimensions and emotion dysregulation in responses to script-driven imagery*. *J of Traumatic Stress* Oct;20(5):713-25.
- Huckshorn, K. (2005). Creating violence free and coercion free mental health treatment: Snapshot of the six core strategies for reducing seclusion environments for the

- reduction of seclusion rates. National Technical Assistance Center, NASMHPD: Alexandria, VA.
- Huckshorn, K.A. (2012). *Reducing seclusion and restraint use in mental health settings: A phenomenological study of hospital leader and staff experiences*. PhD Dissertation, Capella University.
- Hughes, D. (2004). An attachment-based treatment of maltreated children and young people. *Attachment & Human Development*, 6, 263-278.
- Hughes, D. (2007). *Attachment-focused family therapy*. New York: W. W. Norton & Company.
- Jacob, R. G., & Furman, J. M. (1996). Panic, agoraphobia, and vestibular dysfunction. *American Journal of Psychiatry*, 153(4), 503.
- Jacob, R., Furman, J., Durrant, J., Turner, S. (1997). Surface Dependence: A Balance Control Strategy in Panic Disorder With Agoraphobia. *Psychosomatic Medicine* 59, 323-3330.
- Jacob, R., Whitney, S., Detweiler-Shostak, G., Furman, J. (2001) Vestibular rehabilitation for patients with agoraphobia and vestibular dysfunction: a pilot study. *Anxiety Disorder* 15, 131-146.
- Jagiellowicz J, Aron A, Aron EN. (2016). Relationship between the temperament trait of sensory processing sensitivity and emotional reactivity. *J. Soc. Behav. Pers.* 44, 185–199.
- Jakob, A., & Collier, L. (2013-2014). *How to make a sensory room for people living with dementia*. Retrieved September 9, 2017 from: http://fada.kingston.ac.uk/de/MSE_design_in_dementia_care/doc/How%20to%20make%20a%20Sensory%20Room%20for%20people%20with%20dementia.pdf
- Jasmin, E., Couture, M., McKinley, P., Reid, G., Fombonne, E., & Gisel, E. (2009). Sensori-motor and daily living skills of preschool children with autism-spectrum disorders. *Journal of Autism and Developmental Disorders*, 39(2), 231-241.
- Javitt, D. (2009a). Sensory processing in schizophrenia: neither simple nor intact. *Schizophrenia Bulletin*, 35(6), 1059-1064.
- Javitt, D. C. (2009b). When doors of perception close: Bottom-up models of disrupted cognition in schizophrenia. *Annual Review of Clinical Psychology*, 5, 249–275.
- Javitt, D.C. (2015). Neurophysiological models for new treatment development in schizophrenia: early sensory approaches. *Annals of the New York Academy of Sciences*, Vol. 1344, *Translational Neuroscience in Psychiatry*, 92-104.
- Jerome, E.M. & Liss, M. (2005). Relationships between sensory processing style, adult attachment, and coping. *Personality and Individual Differences*, 38, 1341-1352.
- Jinkowic, T., Gelo, J., & Astley, S., (2010). Children and youth with fetal alcohol spectrum disorders: Summary of intervention and recommendations after clinical diagnosing. *Intellectual Developmental Disabilities*, 48, 330–344.
- Keating, N. (1979). A comparison of duration of nystagmus as measured by the Southern California Post-rotary Nystagmus Test and electronystagmography. *American Journal of Occupational Therapy*, 33, 92–96.
- Kinnealey, M., & Fuiiek, M. (1999). The relationship between sensory defensiveness, anxiety, depression and perception of pain in adults. *Occupational Therapy International*, 6,195–206.

- Kinnealey, M., Oliver, B., & Wilbarger, P. (1995). A phenomenological study of sensory defensiveness in adults. *American Journal of Occupational Therapy*, 49, 444-451.
- Kinnealey, M., Koenig, K. & Smith, S. (2011). Sensory modulation and social supports and health related quality of life. *American Journal of Occupational Therapy*, 65, 320-327.
- Kinninburgh, K. & Blaustein, M. (2005). Attachment, self-regulation and competency: A comprehensive intervention framework for children with complex trauma. *Psychiatric Annals*, 35, 424-430.
- King, L.J. (1974). A sensory integrative approach to schizophrenia. *American Journal of Occupational Therapy*, 28, 529-536.
- Koenig, K. & Rudney, S. (2010). Performance Challenges for Children and Adolescents With Difficulty Processing and Integrating Sensory Information: A Systematic Review. *American Journal of Occupational Therapy*, 64, 430-442.
- Koziol, L., Budding, D. & Chidkel, D. (2011). Sensory Integration, Sensory Processing, and Sensory Modulation Disorders: Putative functional neuroanatomic underpinnings. *Cerebellum*, 10(4): 770-792.
- Koomar, J. (1995). Vestibular dysfunction is associated with anxiety rather than behavior inhibition or shyness. *Unpublished Dissertation*, Boston University, Boston, Massachusetts.
- Knebel, J.F., Javitt, D.C., & Murray, M.M. (2011). Impaired early visual response modulations to spatial information in chronic schizophrenia, *Psychiatry Res.*, 193, 168–176.
- Knight, M., Adkison, L., & Kovach, J.S. (2010). A comparison of multi-sensory and traditional interventions on inpatient and psychiatric and geriatric neuropsychiatry units. *Journal of Psychosocial Nursing & Mental Health Services*, 48(1), 24-31.
- Lacourse, M. G., Turner, J. A., Randolph-Orr, E., Schandler, S. L., & Cohen, M. J. (2004). Cerebral and cerebellar sensorimotor plasticity following motor imagery-based mental practice of a sequential movement. *Journal of Rehabilitation Research and Development*, 41, 505–524.
- Lane, S., Mailloux, Z., Schoen, S., Bundy, A., May-Benson, T., Parham, D., Smith Roley, S., & Schaaf, R. (2019). Neural Foundations of Ayres Sensory Integration. *Brain Science*, 9, 1-14. Doi: 10.3390/brainsci9070153.
- Lane, S. J., Miller LJ, & Hanft BE (June 2000). Toward a consensus in terminology in sensory integration theory and practice: Part 2: Sensory integration patterns of function and dysfunction. *Sensory Integration Special Interest Section Quarterly*, 23(2), 1-4.
- Lane, S.J., Reynolds, S., & Dumenci, L.(in press). Sensory over-responsivity and anxiety in typical children and children with Autism and Attention Deficit Hyperactivity Disorder: Cause or co-existence? *American Journal of Occupational Therapy*.
- Lane, S.J., Reynolds, S., & Thacker, L. (2010). Sensory over-responsivity and ADHD: Differentiating Using electrodermal responses, cortisol, and anxiety. *Frontiers in Integrative Neuroscience*, 4, 1-18.
- Lane, S. & Schaaf, R. (2010). Examining the Neuroscience Evidence for Sensory-Driven Neuroplasticity: Implications for Sensory-Based Occupational Therapy for Children and Adolescents. *American Journal of Occupational Therapy*, 64, 375-390.

- Lane, S. J., Smith Roley, S., & Champagne, T. (2014). Sensory integration and processing: Theory and applications to occupational performance. In B.A.B Schell, G. Gillen, & M.E. Scaffa (Eds.). *Willard and Spackman's Occupational Therapy (12th ed.)*. Baltimore: Lippincott Williams & Wilkins.
- Lane, A. E., Young, R. L., Baker, A. E. Z. & Angley, M. T. (2010). Sensory processing subtypes in autism. *Journal of Autism and Developmental Disorders*, 40, 112–122.
- Lanius R.A. (2007). *Complex adaptations to traumatic stress: from neurobiological to social and cultural aspects*. [Am J Psychiatry–Editorial 164\(11\):1628-1630](#)
- Lanius R.A., Brewin CR, Bremner JD, Daniels JK, Friedman MJ, Liberzon I, McFarlane A, Schnurr PP, Shin L, Stein M, Vermetten E (2010). *Does neuroimaging research in posttraumatic stress disorder require medication-free patients?* *J Psych Neurosci* Mar;35(2):80-9.
- Lanius R.A., Bluhm R, Coupland NJ, Hegadoren KM, Rowe B, Theberge J, Neufeld RWJ, Williamson PC, Brimson M (2010). *Default mode network connectivity as a predictor of PTSD symptom severity in acutely traumatized subjects*. *Acta Psychiatr Scand* Jan;121(1):33-40.
- Lanius R.A., Bluhm R, Lanius U, Pain C (2006). *A review of neuroimaging studies in PTSD: Heterogeneity of response to symptom provocation*. *J Psychiatr Res* Dec;40(8):709-729.
- Lanius R.A., Frewen PA, Girotti M, Neufeld RWJ, Stevens TK, Densmore M (2007). *Neural correlates of trauma script-imagery in posttraumatic stress disorder with and without comorbid major depression: a functional MRI investigation*. *Psychiatry Research: Neuroimaging* May 15;155(1):45-56.
- Lanius R.A., Hopper JW, Menon RS (2003). *Individual differences in a Husband and Wife Who Developed PTSD After a Motor Vehicle Accident: An Functional MRI Case Study*. [Am J Psychiatry Apr;160\(4\):667-669](#).
- Lanius R.A., Williamson PC, Bluhm RL, Densmore M, Boksman K, Neufeld RW, Gati JS, Menon RS (2005). *Functional connectivity of dissociative responses in PTSD: an fMRI investigation*. *Biol Psychiatry* Apr;15;57(8):873-884.
- Lanius R.A., Williamson PC, Densmore M, Boksman K, Neufeld RW, Gati JS, Menon RS (2004). *The Nature of Traumatic Memories: A 4.0 Tesla fMRI Functional*
- Lanius R.A., Williamson PC, Menon RS (2002). *Neuroimaging of hyperarousal and dissociative states in posttraumatic stress disorder*. *CPA Bulletin* 34(4):22-25. [Connectivity Analysis. Am J Psychiatry Jan;161\(1\):36-44](#).
- Lanius R.A., Vermetten E, Loewenstein RJ, Brand B, Schmahl C, Bremner JD, Spiegel D (June 2010). *Emotion modulation in PTSD: clinical and neurobiological evidence for a dissociative subtype*. *Am J Psychiatry* 167:640-647.
- Larsson, C., & Martensson, L. (2009). Experiences of problems in individuals with hypersensitivity to odours and chemicals. *Journal of Clinical Nursing*, 18, 737-744.
- LeBel, J., Champagne, T., Stromberg, N., & Coyle, R. (2010, March). Integrating sensory and trauma-informed interventions: A Massachusetts state initiative, part 1. *Mental Health Special Interest Section Quarterly*, 33(1), 1-4.
- LeBel, J., & Champagne, T. (2010, June). Integrating sensory and trauma-informed interventions: A Massachusetts state initiative, part 2. *Mental Health Special Interest Section Quarterly*, 33(2), 1-4.
- LeBel, J. & Goldstein, R. (2005). The economic cost of using restraint and seclusion and

- the value added by restraint reduction or elimination. *Psychiatric Services*, 56(9), 1109-1114.
- Lee, S.J., Cox, A., Whitecross, F., Williams, P. & Hollabder, Y. (2010). Sensory assessment and therapy to help reduce seclusion and restraint use with service users needing psychiatric intensive care. *Journal of Psychiatric Intensive Care*, 6(2), 83-90.
- Levine, P. (1997). *Waking the tiger: Healing trauma*. Berkeley, CA: North Atlantic Books.
- Levine, P. (2005). *Healing trauma*. Boulder, CO: Sounds True.
- Levinson, H. (1989) A cerebellar-vestibular explanation for fears/phobias: hypothesis and study. *Perceptual and Motor Skills*, 68, 77-84.
- Levit-Binnun, N., Szepsenwol, O., Stern-Ellran, K., & Engel-Yeger, B. (2014). The relationship between sensory responsiveness profiles, attachment orientations, and anxiety symptoms. *Australian Journal of Psychology*, 66, 233–240.
- Lin, S.H., Cermak, S., Coster, W.J., & Miller, L. (2005). The relation between length of institutionalization and sensory integration in children adopted from Eastern Europe. *American Journal of Occupational Therapy*, 59(2), 139-147.
- Linehan, M. (1993). *Skills training manual for treating borderline personality disorder*. New York: Guilford Press.
- Liss, M., Timmel, L., Baxley, K. & Kilingsworth, P. (2005). Sensory processing sensitivity and its relation to parental bonding anxiety and depression. *Personality and Individual Differences*, 39, 1429-1439.
- Lloyd, C., King, R. & Machingura, T. (2014). Recovery focused care: How can it be utilized to reduce aggression in the acute mental health setting. *International Journal of Mental Health Nursing*, 26, 445-460.
- Logue MW, van Rooij SJH, [Dennis EL](#), Davis SL, Hayes JP, Stevens JS, Densmore M, Haswell CC, Ipser J, Koch SBJ, Korgaonkar M, Lebois LAM, Peeverill M, Baker JT, Boedhoe PSW, ... Lanius R, et al. Smaller Hippocampal Volume in Posttraumatic Stress Disorder: A Multisite ENIGMA-PGC Study: Subcortical Volumetry Results From Posttraumatic Stress Disorder Consortia. *Biological Psychiatry*. PMID [29217296](#) DOI: [10.1016/j.biopsych.2017.09.006](#)
- Lloyd, C., King, R., & Machingura, T. (2014). An investigation into the effectiveness of sensory modulation in reducing seclusion within an acute mental health unit. *Advances in Mental Health*, 12(2), 93–100.
- Lukas, K. (2011). Occupational placemaking: Facilitating self-organization through use of a sensory room, *Mental Health Special Interest Section Quarterly*, AOTALuxenberg, T, Spinazzola, J, Hidalgo, J, Hunt, C, & van der Kolk, B (2001). Complex trauma and disorders of extreme stress (DESNOS) diagnosis, part two: treatment. *Directions in Psychiatry*. 21, 373-392.
- Mailloux, Z., Mulligan, S., Smith Roley, S., Cermak, S., Blanche, E., & Bodison, S., Coleman, G., & Lane, C. (2011). Verification and clarification of patterns of sensory integrative dysfunction in a retrospective clinical sample. *American Journal of Occupational Therapy*. 65,2. 143-151.

- Mailloux, Z., Leao, M., Becerra, T.A., Baltazar Mori, A., Schoechting, E. et al., (2014). Modification of the Postrotary Nystagmus Test for Evaluating Young Children. *American Journal of Occupational Therapy*, 68, 514-521.
- Mangeot, S. D., Miller, L. J., McIntosh, D. N., McGrath-Clarke, J., Simon, J., Hagerman, R. J., & Goldson, E. (2001). Sensory modulation dysfunction in children with attention-deficit-hyperactivity disorder. *Developmental Medicine and Child Neurology*, 43(6), 399-406.
- Marco, E.J., Hinkley, L.B.N., Hill, S.S., & Magarajan, S.S. (2011). Sensory processing in autism: A review of neurophysiologic findings. *Pediatric Research*, 69(5) 48-54R.
- Marr, D. & Nackley, V.L. (2005, Summer). Sensory Stories: A new tool to improve participation for children with over-reproductive sensory modulation. *SI Focus*, 8-9.
- Marr, D., Mika, H., Miraglia, J., Roerig, M., & Sinnott, R. (2007). The effect of Sensory Stories on targeted behaviors in preschool children with autism. *Physical and Occupational Therapy in Pediatrics*, 27, 63-79.
- Martin, B.A. & Suane, S.N. (2012). Effect of training on sensory room and cart usage. *Occupational Therapy in Mental Health*, 28:2, 118-128.
- Martinez, A., Hillyard, S. A., Dias, E. C., Hagler Jr., D. J., Butler, P. D., Guilfoyle, D. N., Jalbrzikowski, M., Silipo, G., & Javitt, D.C. (2008). Magnocellular pathway impairment in schizophrenia: Evidence from functional magnetic resonance imaging. *Journal of Neuroscience*, 28, 7492-7500.
- Martinez, A., Revheim, N., Butler, P.D., Guilfoyle, D.N., Dias, E.C., & Javitt, D.C. (2012). Impaired magnocellular/dorsal stream activation predicts impaired reading ability in schizophrenia. *NeuroImage Clin.*, 2, 8-16
- Massachusetts Department of Mental Health. (2010). *Seclusion/restraint reduction initiative resources*. Retrieved January 1, 2012, from <http://www.mass.gov/eohhs/gov/departments/dmh/restraintseclusion-reduction-initiative.html>.
- May-Benson, T.A. (2001). A theoretical model of ideation in praxis. In S. Smith Roley, E.I. Blanche and R.C. Schaaf (Eds.), *Understanding the Nature of Sensory Integration with Diverse Populations*. pp. 163-181. New Mexico: Therapy Skill Builders.
- May-Benson, T. & Champagne, T. (2011). *Occupational therapy using a sensory integration-based approach with adult populations: Fact sheet*. Bethesda, MD: American Occupational Therapy Association
- May-Benson, T.A., & Koomar, J.A. (2007). Identifying gravitational insecurity in children: A pilot study. *American Journal of Occupational Therapy*, 61(2), 142-147.
- May-Benson, T.A. & Koomar, J.A. (2010). Systematic review of the research evidence examining the effectiveness of interventions using a sensory integrative approach for children. *American Journal of Occupational Therapy*, 64, 3, 403-414.
- McDade, T., Ryan, C., Jones, M., MacIsaac, J., Morin, A., Meyer, J., et al., (2016). Social and physical environments early in development predict DNA methylation of inflammatory genes in young adulthood. *Proceedings of the National Academy of Sciences* 111, 7611-7616.

- McEwen, B. (2017). *When is stress good for you?* Retrieved August 1, 2017 from: <https://aeon.co/essays/how-stress-works-in-the-human-body-to-make-or-break-us>
- McIntosh, D.N., Miller, L.J., Shyu, V., & Hagerman, J.L. (1999). Sensory-modulation disruption, electrodermal responses, and functional behaviors. *Developmental Medicine and Child Neurology*, 41,608-15.
- Meredith, P. Rappel, G., Strong, J., & Bailey, K. (2015). Sensory sensitivity and strategies for coping with pain. *American Journal of Occupational Therapy*, 69.
- Meyer, B., Ajchenbrenner, M., & Bowles, D. P. (2005). Sensory sensitivity, attachment experiences, and rejection responses among adults with borderline and avoidant features. *Journal of Personality Disorders*, 19(6), 641-658.
- Mesulam, M. M. (1998). From sensation to cognition. *Brain*, 121 (6), 1013-1052.
- Mickleborough MJ, Daniels J, Coupland NJ, Kao R, Williamson PC, Hegadoren K, Schore A, Densmore M, Stevens T, Lanius RA.
The effects of trauma-related cues on pain processing in PTSD: a fMRI investigation. *J Psychiatry Neurosci* (Epub ahead of print Nov 1, 2010).
- Miller, L. J., Anzalone, M.A., Lane, S.J., Cermak, S. & Osten, E.T., (2007). Concept evolution in sensory integration: A proposed nosology for diagnosis. *American Journal of Occupational Therapy*, 61, 135-140.
- Miller, L.J., Coll, J.R., & Schoen, S.A. (2007). A randomized controlled pilot study of the effectiveness of occupational therapy for children with sensory modulation disorder. *American Journal of Occupational Therapy*, 61, 228-238.
- Miller, L. J., & Lane, S. J. (2000). Toward a consensus in terminology in sensory integration theory and practice: Part 1: Taxonomy of neurophysiological processes. *Sensory Integration Special Interest Section Quarterly*, 23(1), 1-4.
- Miller, L., Reisman, J., McIntosh, D., & Simon, J. (2001). An ecological model of sensory modulation. In S. Smith Roley, E. Blanche & R. Schaaf (Eds.), *Understanding the nature of sensory integration with diverse populations*. San Antonio, TX: Therapy Skill Builders.
- Minner, D., Hoffstetter, P., Casey, L., & Jones, D. (2004). Snoezelen activity: The good shepherd nursing home experience. *Journal of Nursing Care Quality*, 19(4), 343-348.
- Moore, K. (2005). *The sensory connection program: Activities for mental health treatment. Manual and handbook*. Framingham, Massachusetts: Therapro.
- Moore, K. & Henry, A. (2002). Treatment of adult psychiatric patients using the Wilbarger protocol. *Occupational Therapy in Mental Health*, 18, 43-63.
- Morey, R., Mitchell, T., Inan, S., Lieberman, J., & Belger, A. (2008). Neural correlates of automatic and controlled auditory processing in schizophrenia. *The Journal of Neuropsychiatry and Clinical Neurosciences*, 20(4), 419-430.
- Mouchet-Mages, S., Canceil, O., Willard, D., & Krebs, M-O. (2007). Sensory dysfunction is correlated to cerebellar volume reduction in early schizophrenia. *Schizophrenia Research*, 91, 266-269.
- Mulligan, S. (1996). An analysis of score patterns of children with attention disorders on the Sensory Integration and Praxis Tests. *American Journal of Occupational Therapy*, 50, 647-654.
- Mulligan, S. (1998a). Patterns of sensory integration dysfunction: a confirmatory factor analysis. *American Journal of Occupational Therapy*, 52, 819-828.

- Mulligan, S. (1998b). Application of structural equation modeling in occupational therapy research. *American Journal of Occupational Therapy*, 52, 829-834.
- Mulligan, S. (2000). Cluster analysis of scores of children on the Sensory Integration and Praxis Tests. *Occupational Therapy Journal of Research*, 20(4), 256-262.
- Mulligan, S. (2010). Validity of the Postrotary Nystagmus Test for measuring vestibular function. *OTJR: Occupation, Participation and Health*, 31, 97-104.
- Mutti, M., Martin, N., Sterline, H., & Spalding, N. (2010). *Quick Neurological Screening Test, (3rd ed)*. Novato, CA: Academic Therapy.
- Mullen, B., Champagne, T. Krishnamurty, S., Dickson, D. & Gao, R. (2008). Exploring the safety and therapeutic effects of deep pressure stimulation using a weighted blanket. *Occupational Therapy in Mental Health*, 24, 65-89.
- National Executive Training Institute (2003-present). *Training curriculum for the reduction of seclusion and restraint*. Alexandria, VA: National Association of State Mental Health Program Directors.
- Novak, T. Scanlan, J., McCaul, D., MacDonald, N., & Clarke, T. (2012). Pilot study of a sensory room in an acute inpatient psychiatric unit. *Australasian Psychiatry*, 20, 401-406.
- O'Brien, L., Bynon, S., Morarty, J., Presnell, S. (2012). Improving Older Trauma Patients' Outcomes Through Targeted Occupational Therapy and Functional Conditioning. *American Journal of Occupational Therapy*, 66, 431-437.
- Ogden, P., Minton, K. & Pain, C. (2007). *Trauma and the body: A sensorimotor approach to psychotherapy*. New York: W. W. Norton & Company.
- Olson, L. J., & Moulton, H. J. (2004). Use of weighted vests in pediatric occupational therapy practice. *Physical and Occupational Therapy in Pediatrics*, 24, 45-60.
- Owen, J.P., Marco, E.J., Desai, S., Fourie, E., Harris, J., Hill, S.S., et al (2013). Abnormal white matter microstructure in children with sensory processing disorders. *Neuroimage: Clinical*, 2, 844-853.
- Olson, L. (2010, March). Examining schizophrenia and sensory modulation disorder: A review of the literature. *Sensory Integration Special Interest Section Quarterly*, 33(1), 1-3.
- Parham, L.D., & Ecker, C.J. (2007). *Sensory Processing Measure – Home Form*. Los Angeles: Western Psychological Services.
- Parham, L., Ecker, C., Kuhaneck, H. M., Henry, D., & Glennon, T. (2007). *Sensory Processing Measure*. Los Angeles: Western Psychological Services.
- Parham, L.D., Cohn, E.S., Spitzer, S., Koomar, J., Miller, L.J., Burke, J.P., Brett-Green, B., Mailloux, Z., May-Benson, T., Smith Roley, S., Schaaf, R.C., Schoen, S., & Summers, C.A. (2007). Fidelity in sensory integration intervention research. *American Journal of Occupational Therapy*. 61, 216-227.
- Parham, L. D., & Mailloux, Z. (2010). Sensory integration. In J. Case-Smith (Ed.), *Occupational therapy for children* (6th ed., pp. 325-372). St. Louis, MO: Mosby, Inc
- Parham, L.D., Smith Roley, S., May-Benson, T., Koomar, J., Brett-Green, B., Burke, J.P., Cohn, E.S., Mailloux, Z., Miller, L.J., & Schaaf, R.C. (2011). Development of a fidelity measure for research on effectiveness of *Ayres Sensory Integration*® intervention. *American Journal of Occupational Therapy*, 65, 2, 133-142.

- Parush, S., Sohmer, H., Steinberg, A., & Kaitz, M. (1997). Somatosensory functioning in children with attention deficit hyperactivity disorder. *Developmental Medicine and Child Neurology*, 39, 464–468
- Parush, S., Sohmer, H., Steinberg, A., & Kaitz, M. (2007). Somatosensory function in boys with ADHD and tactile defensiveness. *Physiology & Behavior*, 16, 553-558.
- Perlmutter, M.S., Bhorade, A., Gordon, M., Hollingsworth, H., & Baum, C. (2010). Cognitive, Visual, Auditory, and Emotional Factors That Affect Participation in Older Adults. *American Journal of Occupational Therapy*, 64, 570-579.
- Perna, G., Dario, A., Caldirola, D., Stefania, B., Cesarani, A., Bellodi, L. (2001). Panic disorder: the role of the balance system. *Journal of Psychiatric Research* 35, 279-286.
- Pfeiffer, B. & Kinnealey, M. (2003). Treatment of sensory defensiveness in adults. *Occupational Therapy International*, 10, 175-184.
- Pollock, M.R., Metz, A., & Barabash, T.(2014). Association Between Dysfunctional Elimination Syndrome and Sensory Processing Disorder. *American Journal of Occupational Therapy*, 68, 472-477.
- Porges, S.W. (2001). The polyvagal theory: Phylogenetic substrates of a social nervous system. *International Journal of Psychophysiology*, 42, 123-146.
- Porges, S.W. (2008). The polyvagal theory: New Insights into adaptive reactions of the autonomic nervous system. *Cleveland Journal of Medicine*, 75 (suppl X), S1-S5.
- Porges, S. W. (2011). *The polyvagal theory: Neurophysiological foundations of emotions, attachment, communication, and self-regulation*. New York, NY: W.W. Norton & Company, Inc.
- Purvis, K. B., McKenzie, L. B., Cross, D. R., & Razuri, E. B. (2013). A spontaneous emergence of attachment behavior in at-risk children and a correlation with sensory deficits. *Journal of Child and Adolescent Psychiatric Nursing*, 26, 165–172.
- Reisman, J. E., & Hanschu, B. (1992). *Sensory integration inventory—revised for individuals with developmental disabilities: User’s guide*. Hugo, MN: PDP Press.
- Revheim, N., Corcoran, C.M., Dias, E. Hellmann, E., Martinez, A., Butler, P.D., et al. (2014). Reading deficits in schizophrenia and individuals at high clinical risk: relationship to sensory function, course of illness, and psychosocial outcome. *American Journal of Psychiatry*, 171, 949–959.
- Reynolds, S., & Lane, S. J. (2007). Diagnostic Validity of Sensory Over-Responsivity: A Review of the Literature and Case Reports. *Journal of Autism and Developmental Disabilities*, 38(3), 516-529.
- Reynolds, S., Lane, S. J., & Gennings, C. (2010). The moderating role of sensory over-responsivity in HPA activity. *Journal of Attention Disorders*, 13, 468-478.
- Reynolds, S., Lane, S.J., & Thacker, L. (2011). Sensory processing, physiological stress, and sleep behaviors in children with and without autism spectrum disorder. *OTJR: Occupation, Participation, and Health*, 31(2).
- Rine, R. (2009). Growing evidence for balance and vestibular problems in children. *Audiology Medicine*, 7, 138-142.
- Rine, R., Braswell, J., & Fisher, D., et al. (2004). Improvement of motor development and postural control following intervention in children with sensorineural hearing

- loss and vestibular impairment. *International Journal of Pediatric Otorhinolaryngology*, 68(9), 1141–1148.
- Rogers, C., & Luby, J. (2011). Sensory over-responsivity: A diagnosis whose time has come. *Journal of the American Academy of Child and Adolescent Psychiatry*, 50, 1205–1207.
- Rolls, E.T. (2004). Multisensory neuronal convergence of taste, somatosensory, visual, olfactory, and auditory inputs. In G. Calvert, C. Spence & B. E. Stein (Eds.). *The handbook of multisensory processes*. (pp. 311-332). Cambridge, MA: MIT Press.
- Ross, D., Buchanan, R., Medoff, & Lahti et al. (1998). Association between eye tracking disorder in schizophrenia and poor sensory integration. *American Journal of Psychiatry*, 155, 1352.
- Ross, M. (1997). *Integrative group therapy: Mobilizing coping abilities with the five-stage group*. Bethesda, MD; American Occupational Therapy Association.
- Ross, M. & Burdick, D. (1981). *Sensory integration: A training manual for therapists and teachers for regressed, psychiatric and geriatric patient groups*. Thorofare, NJ: Slack, Inc.
- Russo, N. M., Nicol, T. G., Zecker, S. G., Hayes, E. A., & Kraus, N. (2005). Auditory training improves neural timing in the human brainstem. *Behavioural Brain Research*, 156, 95–103.
- Scanlon, J.N., & Novak, T. (2015). Sensory approaches in mental health: A scoping review. *Australian Occupational Therapy Journal*, 62, 277-285.
- Schaaf, R. C. (2010). Interventions that address sensory dysfunction for individuals with autism spectrum disorders: Preliminary evidence for the superiority of sensory integration compared to other sensory approaches. In B.Reichow, D.Cicchetti, P.Doehring, & F.Volkmar (Eds.), *Evidence-based practices in autism spectrum disorders* (pp. 245–273). New York: Springer
- Schaaf, R.C. (2011). Interventions that address sensory dysfunction for individuals with autism spectrum disorders: preliminary evidence for the superiority of sensory integration compared to other sensory approaches. 245-273. In B Reichow, P Doehring, DV Cichetti, & FR Volkmar (Eds) *Evidence-based practices and treatments for children with autism*. NY, NY: Springer.
- Schaaf, R. C., Benevides, T., Blanche, E. I., Brett-Green, B. A., Burke, J. B., Cohn, E. S., Koomar, J., Lane, S. J., Miller, L. J., May-Benson, T. A., Parham, D., Reynolds, S., & Schoen, S. A. (2010). Parasympathetic functions in children with sensory processing disorder. *Frontiers in Integrative Neuroscience*, 4, 4 doi: 10.3389/fnint.2010.00004.
- Schaaaf, R.C., Hunt, J., & Benevides, T. (2012). Occupational Therapy Using Sensory Integration to Improve Participation of a Child With Autism: A Case Report. *American Journal of Occupational Therapy*, 66, 547-555.
- Schaaf, R.C., Schoen, S., Smith Roley, S., Lane, S., Koomar, J. & May-Benson, T. (2009). A frame of reference for sensory integration. In P. Kramer & J. Hinojosa (Eds) *Frames of Reference for Pediatric Occupational Therapy, 3rd Ed.* Baltimore, MD: Lippincott Williams & Wilkins, 99-186.

- Schaaf, R.A., & Smith Roley, S. (2006). *Clinical reasoning: Applying sensory integration principles to practice with diverse populations*. San Antonio: TX: Psychological Corporation.
- Schaaf, R.A., Miller, L.J., Seewal, D., & O'Keefe, S. (2003). Children with disturbances in sensory processing: A pilot study examining the role of the parasympathetic nervous system. *American Journal of Occupational Therapy*, 57, 442-449
- Schilling D.L., [Washington K.](#), [Billingsley F.F.](#), & Deitz J. (2003). Classroom seating for children with attention deficit hyperactivity disorder: therapy balls versus chairs. *American Journal of Occupational Therapy*, 57(5): 534-41.
- Schoen, S., Lane, S.J., Mailloux, Z., May-Benson, T., Parham, D., Smith Roley, S., & Schaaf, R. (2019). A systematic review of Ayres Sensory Integration intervention for children with autism. *Autism Research*, 12, 6-19.
- Schoen, S. A., Miller, L. J., Brett-Green, B., & Hepburn, S. L. (2008a). Psychophysiology of children with autism spectrum disorder. *Research in Autism Spectrum Disorders*, 2, 417–429.
- Schoen, S. A., Miller, L. J., Brett-Green, B., Reynolds, S., & Lane, S. J. (2008b). Arousal and reactivity in children with sensory processing disorder and autism spectrum disorder. *Psychophysiology*, 45, S102.
- Schoen, S. A., Miller, L. J., Brett-Green, B., & Nielsen, D. M. (2009). Physiological and behavioral differences in sensory processing: a comparison of children with autism spectrum disorder and sensory modulation disorder. *Frontiers in Integrative Neuroscience*, 3, 29. doi: 10.3389/neuro.07.029.2009.
- Schore, A. (1994). *Affect regulation and the origin of the self: The neurobiology of emotional development*. Hillsdale, NJ: Lawrence Erlbaum Associates.
- Seckman, A., Paun, O., Heipp, B., Van Stee, M., Keels-Lowe, V., Beel, F., Spoon, C., Fogg, L., & Delaney, K. (2017). *Journal of Child and Adolescent Psychiatric Nursing*, 30, 90-97.
- Simon, N., Pollack, M., Tuby, K., Stern, T. (1998). Dizziness and Panic Disorder: A Review of the association between Vestibular Dysfunction and Anxiety, *Annals of Clinical Psychiatry*, 10(2).
- Shochat, T., Tzischinsky, O., & Engel-Yeger, B. (2009). Sensory hypersensitivity as a contributing factor in the relation between sleep and behavioral disorders in normal children. *Behavioral Sleep Medicine*, 7(1), 53-62.
- Silverstein, S.M. & Keane, B.P. (2011). Perceptual organization impairment in schizophrenia and associated brain mechanisms: review of research from 2005 to 2010. *Schizophrenia Bulletin*, 37, 690–699.
- Smith, L.B. & Thelan, E. (Eds.). (1993). *A dynamic systems approach to development*. Cambridge, MA: MIT Press.
- Smith, S.A., Press, B., Koenig, K.P., & Kinnealey, M. (2005). Effects of sensory integration intervention on self-stimulating and self-injurious behaviors. *American Journal of Occupational Therapy*, 59, 418-425.
- Smith Roley, S., Blanche, E. I., & Schaaf, R.C. (Eds.) (2001). *Understanding the nature of sensory integration with diverse populations*. San Antonio, Texas: Therapy Skill Builders.
- Smith Roley, S., Mailloux, Z. Miller-Kuhanek, H. & Glennon, T. (2007). Understanding Ayres Sensory Integration®. *OT Practice* 12(17), CE1-CE-8.

- Smith Roley, S., Mailloux, Z. Parham, D. Schaaf, R., Lane, C.J., & Cermak, S. (2014). Sensory Integration and Praxis Patterns in Children with Autism. *American Journal of Occupational Therapy*, 69.
- Southwick, S. (2012). Resilience: mastering the science of life's greatest challenges. Cambridge Press
- Staal, J., Sacks, A., Matheis, R., Collier, L., Calia, T., Hanif, H., & Kofman, E. (2007). The effects of Snoezelen and psychiatric care on agitation, apathy, and activities of daily living in dementia patients on a short term geriatric psychiatric unit. *International Journal of Psychiatry Medicine*, 37(4), 357-370.
- Stoller, C., Greuel, J., Cimini, L., Fowler, M., & Koomar, J. (2012). Effects of sensory-enhanced yoga on symptoms of combat stress in deployed military personnel. *American Journal Of Occupational Therapy*, 66(1), 59-68.
- Stromberg, N., Bluebird, G., & Champagne, T. (2003-present). Seclusion and Restraint Prevention Tools Module. *National Executive Training Institute: Training curriculum for creation of violence-free, coercion-free treatment settings and the reduction of seclusion and restraint*. Alexandria, VA: National Association of State Mental Health Program Directors.
- Subbarao, P., Anand, S., Becker, A. et al., (2015). The Canadian healthy infant longitudinal development (CHILD) study: Examining developmental origins of allergy and asthma. *THORAX*, 70, 998-1000.
- Sutton, D., & Nicholson, E. (2011). *Sensory modulation in acute mental health wards: A qualitative study of staff and service user perspectives*. Auckland, New Zealand: Te Pou. Retrieved January 22, 2012, from <http://aut.researchgateway.ac.nz/bitstream/handle/10292/4312/Sutton%20sensory%20modulation%20in%20acute%20mental%20health%20wards.pdf?sequence=6>
- Sutton, D., Wilson, M. Van Kessel, K., & Vanderpyl, J. (2013). Optimizing arousal to manage aggression: A pilot study of sensory modulation. *International Journal of Mental Health Nursing*.
- Substance Abuse and Mental Health Services Administration [SAMHSA]. (2003). *A national call to action: Eliminating the use of seclusion and restraint*. Rockville, MD: Author. Retrieved February 16, 2009, from www.samhsa.gov/seclusion/sr_report_may08.pdf
- Swinson, R, Antony M, Chokka P, Katzman M, Van Ameringen M, Kjernisted K, Fallu A, Plamondon J, LeMelledo J-M, Bradwejn J, Bleau P, Lanius R, McIntosh D, Rabheru K, Manassis K, Walker J (July 2006). *Canadian Guidelines for the Management of Anxiety Disorders*. Canadian Journal of Psychiatry 51 (#8 suppl 2):1S-92S.
- Tal-Seban, M., Ornoy, A., & Parush, S. (2014). Young adults with developmental coordination disorder: A longitudinal study. *American Journal of Occupational Therapy*, 68, 307-316.
- Te Pou o te Whakaaro Nui (2010). *Impact of sensory modulation in mental health acute wards on reducing the use of seclusion*. Auckland, NZ: Te Pou o te Whakaaro Nui (New Zealand Center for Mental Health Research, Information and workforce development).

- Te Pou o te Whakaaro Nui (2011). *Sensory modulation in mental health settings: A review of the literature*. Auckland, NZ: Te Pou o te Whakaaro Nui (New Zealand Center for Mental Health Research, Information and workforce development).
- Thelen, E., & Smith, L.B. (1994). *A dynamic systems approach to the development of cognition and action*. Cambridge, MA: MIT Press.
- Tschacher, W. & Bergomi, C. (2011). Cognitive binding in schizophrenia: weakened integration of temporal intersensory information. *Schizophrenia Bulletin*, 37 (Suppl. 2) S13–S22.
- Turner, K. A., Cohn, E. S., & Koomar, J. (2012). Mothering when mothers and children both have sensory processing challenges. *British Journal of Occupational Therapy*, 75, 449–455.
- U.S. Department of Health and Human Services (USDHHS), Substance Abuse and Mental Health Services Administration (2003). *A national call to action: Eliminating the use of seclusion and restraint*. Rockville, Maryland: USDHHS.
- U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration. (2003). *National consensus statement on recovery*. Retrieved on January 27, 2009 from, <http://mentalhealth.samhsa.gov/publications/allpubs/sma05-4129/>
- U.S. Department of Health and Human Services (2003, July). *Achieving the promise: Transforming mental health care in America. Final Report. New Freedom Commission on Mental Health*, DHHS Publication Number SMA-03-3832 ed. Rockville, MD.
- U.S. General Accounting Office. (1999, September 7). Mental health: Improper restraint or seclusion use places people at risk (GAO/HES-99-176). Washington, DC: Author.
- Valente, M., & McCaslin, L. (2011). *Vestibular disorders and evaluation of the pediatric patient. The ASHA Leader*. Retrieved from <http://www.asha.org/Publications/leader/2011/110315/Vestibular-Disorders-and-Evaluation-of-the-Pediatric-Patient.htm>
- VandenBerg, N. L. (2001). The use of a weighted vest to increase on-task behavior in children with attention difficulties. *American Journal of Occupational Therapy*, 55, 621-628.
- Van Hulle, C., Schmidt, N., & Goldsmith, H. (2011). Is sensory over-responsivity distinguishable from childhood behavior problems? A phenotypic and genetic analysis. *Journal of Child Psychology and Psychiatry*, 53, 64-72.
- van der Kolk, B.A. (2005). Developmental trauma disorder, *Psychiatric Annals*, 401-408.
- van der Kolk, B. (2006) Clinical implications of neuroscience research and PTSD. *Annals of the New York Academy of Science*, 1071, 277-293.
- van der Kolk, B. (2014). *The body keeps score: Mind, brain, and body in the healing of trauma*. New Yourk, NY: Penguin Group LLC.
- Van Pomeran, V. (2009). Sensory modulation: One approach to reducing the use of seclusion and restraint at Northlend District Health Board. Stories of Change. Retrieved September 18, 2017 from: https://www.tepou.co.nz/assets/images/content/your_stories/files/story045.pdf.
- Velasques, B., Machado, S., Paes, F., Cunha, M., Sanfim, A., Budde, H., & Ribeiro, P. (2011). Sensorimotor integration and psychopathology: motor control

- abnormalities related to psychiatric disorders. *The World Journal of Biological Psychiatry*, 12(8), 560-573.
- Vlcek, P., Bob, P., & Raboch, J. (2014). Sensory disturbances, inhibitory deficits, and the P50 wave in schizophrenia. *Neuropsychiatric Disease and Treatment*, 10, 1309–1315.
- Warner, E., Cook, A., Westcott, A., & Koomar, J. (2011). *SMART: Sensory Motor Arousal Regulation Treatment*. Brookline, Massachusetts: Trauma Center at JRI.
- Warner, E., Koomar, J., Lary, B., & Cook, A. (2013). Can the body change score? Application of sensory modulation principles in the treatment of traumatized adolescents in residential settings. *Journal of Family Violence*, 2(7), 729-738.
- Watling, R., Koenig, K., & Davies, P. (2011). *Occupational therapy practice guidelines for children and adolescents with challenges in sensory processing and sensory integration*. Bethesda, MD: AOTA Press.
- Watson, S., Thronburn, K., Everett, M., & Fisher, K.R. (2014). Care without coercion – mental health rights, personal recovery and trauma informed care. *Australian Journal of Social Issues*, 49, 529-553.
- Weiner-Vacher S. (2008). Vestibular disorders in children. *International Journal of Audiology*, 47, 578–583.
- Weisberg, A. (1984). The role of psychophysiology in defining gravitational insecurity: A pilot study. *Sensory Integration Special Interest Section Newsletter*, 7(4), 1-4.
- Weiss, E. M., Altimari, D., Blint, D. F., & Megan, K. (1998, October 11–15). Deadly restraints: A nationwide pattern of death. *The Hartford Courant*.
- Weiss, S. (2007). Neurobiological alterations associated with traumatic stress. *Perspectives in Psychiatric Care*, 43, 114-122.
- West, M., Melvin, G., McNamara, F., & Gordon, M. (2017). An evaluation of the use and efficacy of a sensory room within an adolescent psychiatric inpatient unit. *Australian Occupational Therapy Journal*, 64, 253-263.
- Wiglesworth, S. & Farnsworth, L. (2016). An exploration of the use of a sensory room in a forensic mental health setting: Staff and patient perspectives. *Occupational Therapy International*, 23, 255-264. <https://doi.org/10.1002/oti.1428>
- Whitcomb, D. A. (2012). Attachment, occupation, and identity: Considerations in infancy. *Journal of Occupational Science*, 19, 271–282.
- Whitcomb, D.A., Carrasco, R., Neuman, A., & Kloos, H. (2015). Correlational Research to Examine the Relation Between Attachment and Sensory Modulation in Young Children. *American Journal of Occupational Therapy*, 69.
- World Health Organization. (2014). *Mental health: Strengthening our response* (Fact Sheet No. 220). Geneva: Author. Retrieved from <http://www.who.int/mediacentre/factsheets/fs220/en/>
- Wilbarger, P. (1984). Planning an adequate sensory diet: Application of sensory processing theory during the first years of life. *Zero to Three*, 7-12.
- Wilbarger, P. (1995). The sensory diet: Activity programs based upon sensory processing theory. *Sensory Integration Special Interest Section Quarterly*, 18(2), 1-4.
- Wilbarger, J., & Wilbarger, P. (2002). Clinical application of the sensory diet. In A.C. Bundy, S.J. Lane & E.A. Murray (Eds.), *Sensory integration theory and practice* (2nd ed). pp. 339-341. Philadelphia: F.A. Davis Company.

- Williams, M., & Shellenberger, S. (1994). *“How does your engine run?”: A leader’s guide to the alert program for self-regulation*. Albuquerque, NM: TherapyWorks.
- Williamson, G. E., Anzalone, M. E., & Hanft, B. E. (2000). Assessment of sensory processing, praxis and motor performance. In Interdisciplinary Council on Developmental and Learning Disorders, (Eds.), *Clinical practice guidelines* (pp. 1 55–184). Bethesda, MD: ICDLD Press.
- Williamson, G. G., & Anzalone, M. E. (2001). *Sensory integration and self-regulation in infants and toddlers: Helping very young children interact with their environment*. Washington, DC: Zero to Three.
- Yochman, A., Parush, S., & Ornoy, A. (2004). Responses of preschool children with and without ADHD to sensory events in daily life. *American Journal of Occupational Therapy*, 58(3), 294-302.
- Zelano, C., Jiang, H., Zhou, G., Arora, K., Schuele, S., Rosenow, J., Gottfried, J. (2016). Nasal respiration entrains human limbic oscillations and modulates cognitive function. *Journal of Neuroscience*, 36, 12448-12467.
- Zuckerman, M. (1994). *Behavioral expression and biosocial basis of sensation seeking*. Cambridge, UK: Cambridge University.
- Zwicker, J.G., Missiuna, C., Harris S.R. & Boyd, L.A. (2010). Brain activation of children with Developmental Coordination Disorder is different than peers. *Pediatrics*, 126, e678-r686. DOI: 10.1542/peds.2010-0059